



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/523,431	01/28/2005	Hubert Sjoerd Blaauw	NL 020701	1272
24737 7590 07/20/2009 PHILIPS INTELLECTUAL PROPERTY & STANDARDS P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510				
EXAMINER				
LANDRUM, EDWARD F				
ART UNIT		PAPER NUMBER		
3724				
MAIL DATE		DELIVERY MODE		
07/20/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/523,431

Applicant(s)

BLAAUW ET AL.

Examiner

Edward F. Landrum

Art Unit

3724

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 May 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7, 10-17 and 25-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7, 10-17 and 25-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 August 2008 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Drawings

1. The drawings are objected to because Figure 6 does not describe Example 1, on page 5 of the specification. The drawing objection is being maintained because applicant's amendments to the specification have been considered new matter. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

2. The amendment filed 5/18/2009 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment

shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: The amendment starting with "As shown in Figure 6, the top layer has a substantially uniform hardness and the diffusion layer has a continuously decreasing hardness with depth of the diffusion layer, where the continuously decreasing hardness of the diffusion layer continuously decreases from outer portions of the diffusion layer toward a center of the diffusion layer and meets at the center of the diffusion layer to form a minimum peak at the center, and where a hardness at the center of the diffusion layer is an original hardness of the stainless steel, namely 200HV.

This amendment is considered new matter for the following reasons:

Firstly, a drawing cannot be considered to scale unless stated previously in the disclosure. When the reference does not disclose that the drawings are to scale and is silent as to dimensions, arguments based on measurement of the drawing features are of little value. See *Hockerson-Halberstadt, Inc. v. Avia Group Int 'l*, 222 F.3d 951, 956, 55USPQ2d 1487, 1491 (Fed. Cir. 2000) (The disclosure gave no indication that the drawings were drawn to scale. "[I]t is well established that patent drawings do not define the precise proportions of the elements and may not be relied on to show particular sizes if the specification is completely silent on the issue."). However, the description of the article pictured can be relied on, in combination with the drawings, for what they would reasonably teach one of ordinary skill in the art. In *re Wright*, 569 F.2d 1124, 193USPQ 332 (CCPA 1977) Applicant is required to cancel the new matter in the reply to this Office Action. Since the description of the Figure 6 did not indicate the figure was

an exact representation of the change in hardness from the outer ends to the middle of the diffusion zone and therefore it is possible there are plateaus etc that would make the hardness not continuously decreasing and it also cannot be determined if the top layer has a uniformed hardness. Dropping 800 HV in less than an inch cannot be considered detailed.

Secondly Figure 6 never discloses that the original hardness of the material is 200HV, as the figure does not disclose that this is in fact an original material hardness.

Lastly, Figure 6 nor any of the disclosure pertaining to Figure 6 teaches that the material used is a steel. Figure 6 only teaches there are compound layers. Furthermore, as indicated in Figure 4 and Example 1, a maraging steel does not have an HV below 500, however Figure 6 appears to be below 500.

Double Patenting

3. Claims 17 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-6 of copending Application No. 10/522287. Although the conflicting claims are not identical, they are not patentably distinct from each other because the only difference is the material used for the cutting blade. Other portions of claim 17 are intrinsic in the process of plasma nitriding and precipitationally hardening a stainless steel.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claims 1-7, 10-17, and 25-28 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Regarding claims 1, 7, 10, and 17, the term "continuously" used to describe the decreasing hardness of the diffusion layer is new matter. The term was not used to describe the decreasing hardness of the diffusion layer in the originally filed specification. Figures cannot be considered to scale or exact unless originally specified in the specification.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1, 4-7, 10, 13, 14, 16, and 25-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Domoto et al (U.S Patent No. 6,354,008), hereinafter Domoto, in view of Oiwa (Japanese Patent No. 60162766), in further view of Rosenhan (U.S Patent No. 5,953,969) and Applicant's Admitted Prior Art, hereinafter AAPA, and in witness of Liang et al (2001), Blawert et al (1998), Askeland (1994).

Domoto teaches (see Figures 1-3, 6, and 7) an electric shaver with a plurality of steel cutting elements coated on all sides of the blade with a nitride based film having a hardness of at least 1000 HV but possibly extending above 1500 HV. The nitride based film is applied to the cutting blade using a plasma CVD method. The cutting blades of Domoto are capable of working in dry or additive type shavers as both are functional equivalents and would have no bearing to how the cutting blades were made as most electric dry shavers are made to still be cleaned by a cleaning solution or water.

Domoto teaches all of the elements of the current invention as stated above except the steel cutting element being a maraging or precipitation hardening steel, said steel being hardened simultaneously with a precipitation hardening process and with plasma nitriding which forms a top layer of super saturated nitrogen and a diffusion layer adjoining the top layer to the hardness of the steel, and the diffusion layer having an original hardness of the steel cutting blades at the center, preferably 200HV or at least 6 times less hard than the top surface layer, the hardness of the diffusion layer decreasing continuously from the outer surfaces of the lemella.

Oiwa teaches (see included translated Constitution) that it is old and well known to apply a nitride layer to a steel electric shaver blade by means of plasma nitriding.

Rosenhan teaches (Col.1, lines 15-23) that while CVD processes for applying strengthening layers to a tool is an option material deposited on the tool can tear or chip off when the material is used. Furthermore, Rosenhan teaches (Col. 2, lines 19-55) a maraging steel is a good steel for a plasma diffusion process and that a plasma diffusion process includes simultaneously heating the material by precipitation

hardening and combining the heating of the material with a plasma diffusion process. The hardness of the diffusion layer changes continuously between the two outer layers (Col. 2, lines 34-37). This method creates a tool that wears about 10 times less than other known tools.

AAPA teaches (Pg. 4, lines 26-28) the act of precipitation hardening the steel can occur prior to or while plasma nitriding the steel.

It would have been obvious to have modified Domoto to incorporate the teachings of Oiwa, Rosenhan, to use maraging steel for the cutting blades of the electric shaver and simultaneously apply the nitride layer to the cutting blades of the electric shaver by means of a plasma nitride process that included precipitation hardening the cutting blades. Maraging steel is a steel that can be easily nitrided and resists wear and crack propagation. Plasma nitriding the maraging steel cutting members would make the cutting blades of the electric shaver wear 10 times less than other known tools thereby prolonging the life of the cutting blades. Furthermore, as disclosed by Rosenhan and AAPA, combination of precipitation hardening and plasma nitriding is important and not the timing of the two relative to each other. Therefore it would have been an obvious matter of design choice to a person of ordinary skill in the art to have the precipitation hardening occur simultaneously with plasma nitriding, since applicant has not disclosed that a specific timing of the two process relative to each other solves any stated problem or is for any particular purpose, because it has been shown that many methods are equally acceptable, and it appears the cutting element would

perform equally well with any specific timing sequence between the precipitation hardening process and the plasma nitriding process.

Domoto does not explicitly state that the electric shaver is a dry shaver but it is inherent that the electric shaver of Domoto is a dry shaver as there is no mention of a lubricant or other liquid used with the shaver.

Regarding claims 1, 7, and 10, claiming the top layer being a uniform hardness, the diffusion layer continuously decreasing in hardness, and the minimum hardness of the diffusion layer being found at the center of the diffusion layer, each of these limitations is intrinsic in the process of plasma nitriding a precipitationally hardened steel. To support this, the examiner has provided three references that teach these facts. Liang et al (2001) teaches (Pg. 6, Col. 1, Paragraph 2) that plasma nitriding a surface makes that surface have a top layer consisting of supersaturated nitrogen. Blawert et al (1998) teaches (Pg. 2, Col. 1, lines 2-5) teaches that plasma nitriding a surface causes a top layer to be formed along with a diffusion layer between the top layer and the material being nitrided. Askeland (1994) teaches (see Figures 5 and 6, the A and B characters have been added by the examiner to the upper Figure because the reproduction was made in black and white) that a diffusion layer is a continuous changing layer formed between the two materials where the two materials exchange atoms. Each edge of the diffusion layer takes properties that about the edge of the diffusion layer as more of that abutment materials atoms are found there compared to the other material found on the opposite edge of the diffusion layer. Therefore, the minimum hardness of the diffusion layer would be in the center of the two compounds

abutting the diffusion layer if both were relatively the same hardness. The non uniform structure created by the combining of atoms of the different compounds would be at its greatest in the center because neither compound would have a large majority of atoms present. Figures 5 and 6 of Askeland clearly show this point.

Regarding claims 4, 13, and 25-27, and the diffusion layer either being 200HV at the center or the top surface layer being at least six times harder than the center of the diffusion layer, it would have been an obvious matter of design choice to a person of ordinary skill in the art to make the center of the diffusion layer 200HV or the hardness of the top surface layer at least 6 times harder than the center of the diffusion layer because discovering the optimum or workable hardness of the center of the diffusion layer would have been a mere design consideration based on the type of steel a manufacturer wanted to use. Such a modification would have involved only routine skill in the art to accommodate the steel type requirement. It has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges only involves routine skill in the art.

8. Claims 2, 3, 11, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over the modified device of Domoto in view of Yamada et al (U.S Patent No. 5,857,260), hereinafter Yamada.

The modified device of Domoto teaches all of the elements of the current invention as stated above except the thickness of the top layer being in the range of 5 μm to 25 μm , and the thickness of the diffusion layer being in the range of 5 μm to 20 μm .

Yamada teaches that the optimal total thickness of hardness layers covering a blade is between 2 μm and 15 μm (Col. 1, lines 66-67; Col. 2, lines 1-5).

It would have been an obvious to have modified the modified device of Domoto to incorporate the teachings of Yamada to make the total thickness of the top layer and the diffusion layer 2 μm to 15 μm to provide for the best cutting conditions for both the outer and inner cutting blades.

Furthermore, it would have been an obvious matter of design choice to a person of ordinary skill in the art to make the thickness of the top layer between 5 μm to 25 μm and the thickness of the diffusion layer between 5 μm to 20 μm because discovering the optimum or workable ranges for the thickness of the top layer and the diffusion layer would have been a mere design consideration based on the material properties of both the cutting blade and the nitride based top layer. Such a modification would have involved only routine skill in the art to accommodate the properties of the cutting blade and the nitride based top layer. It has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art.

9. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over the modified device of Domoto, as stated in section 7, in view of Gerasimov et al (U.S. Patent No. 6,584,691), hereinafter Gerasimov.

The modified device of Domoto teaches all of the elements of the current invention as stated above except the electric shaver being an additive type shaver.

Gerasimov teaches (see Figure 39) providing a solid soap additive 116 to an electric shaver for the purpose of improving lubricity as well as condition a user's skin or beard.

It would have been obvious to have modified the device the modified device of Domoto to incorporate the teachings of Gerasimov to provide an additive on the shaver. Doing so would improve lubricity of the shaver as well as condition a user's skin or beard during shaving.

10. Claims 17 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over the modified device and method of Domoto, as stated in section 7, in view of Cole et al (U.S Patent No. 4,259,126), hereinafter Cole.

The modified device and method of Domoto teaches all of the elements of the current invention as stated above except the steel cutting element being austenitic steel

Cole teaches (see Col. 1) teaches that it is old and well known in the razor art to make cutting blades out of austenitic steel.

It would have been obvious to have modified the modified the modified device and method of Domoto to incorporate the teachings of Cole to use austenitic steel for the cutting blades of the electric shaver and apply the nitride layer to the cutting blades of the electric shaver by means of a plasma nitride process. The physical properties of austenitic steel resist wear and crack propagation, and therefore are ideal for cutting blades intended to be used frequently.

Response to Arguments

11. Applicant's arguments filed 5/18/2009 have been fully considered but they are not persuasive.

Regarding Rosenhan, Figure 2 shows that the hardness of the intermediate (diffusion) layer changes continuously between the hardness of the outer layer 67-68 HRC to the hardness of the core steel (54-58). Because of the intrinsic properties associated with plasma nitriding, if the hardness of the core steel had been the same as the hardness of the plasma nitrided outer layer the center of the diffusion layer would have been the least hard as discussed above.

As previously stated by the examiner, because of the intrinsic properties associated with plasma nitriding, if the hardness of the core steel of Rosenhan had been the same as the hardness of the plasma nitrided outer layer the center of the diffusion layer would have been the least hard. The cited NPL explains this, therefore the location of the least hard portion of the diffusion layer is more dependent on the original hardnesses of both compound layers and is just a product of the diffusion process.

Applicant has employed an old and well known method of plasma nitriding (page 5, line 17), and it does not appear that anything beyond claiming plasma nitriding a steel that has been precipitationally hardened would not be intrinsic in the plasma nitriding process. Applicant is invited to provide an affidavit that scientifically and mathematically states the claimed subject matter is not intrinsic based on the process used and the article receiving the process.

Art Unit: 3724

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Sanderson (U.S Patent No. 3,743,551) teaches elements of the current invention.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edward F. Landrum whose telephone number is 571-272-5567. The examiner can normally be reached on Monday-Friday 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/E. F. L./
Examiner, Art Unit 3724
7/16/2009

/Boyer D. Ashley/
Supervisory Patent Examiner, Art Unit 3724